

# INDEX

---

## Index Terms

## Links

### A

<i>A</i> matrix	70	80			
Amplification factor	302				
Average stress criterion	431				

### B

Back calculation of engineering constants	451				
example	451				
<i>B</i> -matrix	70	80			
Beams					
applied loads	203				
bending	206				
bending stiffness	206	207	208	209	210
boundary conditions	205	206	264		
box-beams.					
<i>See</i> Box-beams					
buckling.					
<i>See</i> Buckling of beams;					
Buckling of beams with shear deformation					
C-section beams. <i>See</i> C-beams					
centroid	203				
with circular cross section. <i>See</i> Beams with					
circular cross section					
compliance	209				
coordinate system	203				

## Index Terms

## Links

### Beams (*Cont.*)

coupling. <i>See</i> Coupling				
curvature	204			
equilibrium	204			
force-strain relationship	204	206	209	
governing equations	203			
I-beams. <i>See</i> I-beams				
internal forces	203			
isotropic beams	206			
L-beams. <i>See</i> L-beams				
neutral plane	213			
<i>See also</i> Neutral plane				
orthotropic beams	207			
rate of twist	204			
rectangular solid cross section				
<i>See</i> Solid-section beams				
under axial load and bending				
reference plane	213			
<i>See also</i> Reference plane				
replacement stiffness	210			
restrained-warping-induced torque	263	318	339	354
sandwich. <i>See</i> Sandwich beams				
shear center. <i>See</i> Shear center				
shear deformation. <i>See</i> Beams with shear				
deformation; Sandwich beams				
shear force	203			
stiffness	204			
strain-displacement relationship	204			
summary of equations	311			
with symmetrical cross section	206			
tensile stiffness	206	207	208	210

## Index Terms

## Links

### Beams (*Cont.*)

thin-walled beams.			
<i>See</i> Closed-section beams			
under axial load and bending; Open-section beams under axial load and bending; Stiffened beams; Thin-walled beams under axial load, bending, and torsion; Torsion of thin-walled beams			
torque neutral surface	254	258	
torsional stiffness	206	208	210
transversely loaded. <i>See</i> Transversely loaded beams; Transversely loaded beams with shear deformation			
T-section beams. <i>See</i> T-beams			
twist	203		
vibration. <i>See</i> Vibration			
warping stiffness. <i>See</i> Warping stiffness			
Z-section beams. <i>See</i> Z-beams			
Beam element	397		
Beam equations, summary of	311		
Beams with circular cross section	454	455	458
Beams with shear deformation	313		
<i>See also</i> Sandwich beams; Transversely loaded beams with shear deformation			
bending moment	319		
bending stiffness	322		
boundary conditions	321		
buckling.			
<i>See</i> Buckling of beams			
with shear deformation			

## Index Terms

## Links

### Beams with shear deformation (*Cont.*)

coordinate system	313				
deflection	313	330			
deformation	313				
effects of shear deformation	359				
equations, summary of	320				
equilibrium	320				
force–strain relationship	315				
governing equations	314				
I-beams	315	324			
rate of twist	314	315	317		
restrained-warping-induced torque	319				
rotation of the cross-section	313	314			
Saint-Venant torque	317				
shear compliance	320	321			
shear force	319				
shear stiffness	320	321	322	325	
strain–displacement relationship	315				
strain energy	322				
tensile stiffness	322				
torsional stiffness	322				
transverse shear strain	313				
vibration	347				
warping stiffness	322				
Bending–bending coupling	73				
Bending moment. <i>See</i> Moment					
Bending–shear coupling	73				
Bending stiffness					
of beams with shear deformation	322				
of box-beams	256	258	454	455	456
of C-beams	285	454	456		

## Index Terms

## Links

### Bending stiffness (*Cont.*)

of circular cross-section beams	454	455			
of closed-section beams	231	232	234	235	246
of I-beams	295	454	455	456	
of L-beams	223				
of open-section beams	230	231	232	234	235
	236				
of sandwich beams	327	328	333	334	
of stiffened beams	289				
of T-beams	219	240			
Bending stiffness parameter	100				
Bending–twist coupling	72	76			
Bernoulli–Navier hypothesis	203	227	267	313	
Biaxial test	418				
Bimoment	262	317	318	319	354
Boundary conditions	47				
beams	205	206	264		
beams with shear deformation	321				
plates	92	101	113	145	
sandwich plates	172	183			
torsion of beams	264				
Box-beams	255	272	300		
bending stiffness	256	258	454	455	456
centroid	274	454	456		
compliance	274				
deflection	257	259			
elongation	260	274			
examples	255	257	272	304	
local buckling	300	304			
neutral surface	258	259			
parameter of restraint	304				

## Index Terms

## Links

Box-beams ( <i>Cont.</i> )				
reference surface	259			
shear compliance	458			
spring constant	304			
stiffness	256	258	259	273
tensile stiffness	259	454	455	456
torque neutral surface	258			
torsion	255	257		
torsional stiffness	256	258	458	
twist	257	259	274	
warping stiffness	458			
Bredt–Batho formula	253			
Buckling amplification factor	302			
Buckling constant	292			
Buckling length. <i>See</i> Buckling of plates				
Buckling load parameter. <i>See</i> Load parameter				
Buckling load. <i>See</i> Buckling of: beams; beams with shear deformation; cylinders; plates; shells				
Buckling of beams	290	461		
effective length factor	292	293		
examples	294	298	304	305
flexural–torsional	291			
force–strain relationship	291			
lateral–torsional	296			
local buckling	300			
orthotropic beams	290			
spring constant	301			
Buckling of beams with shear deformation	334			
equilibrium	335	339		
examples	342	343	345	

## Index Terms

## Links

### Buckling of beams with shear deformation (*Cont.*)

flexural	335			
flexural–torsional	341			
lateral–torsional	345			
shear deformation effects	359			
torsional	339			
Buckling of cylinders	387			
buckled shape	389			
buckling pattern	387	390		
examples	387	391		
with orthotropic wall	390			
with sandwich wall	393			
Buckling of plates	112			
under biaxial load	112	118	187	
buckled shape	122	125	127	136
buckling length	135			
buckling load	123	125	136	
with built-in and simply supported edges	118			
equilibrium	132			
examples	115	116	121	126
examples, long plates	133	138	139	
examples, sandwich plates	186	188	195	
face wrinkling	190			
with free edge	124			
under linearly varying load	140			
load parameter	112	119		
long plates with various edge supports	132			
potential energy	118	125		
potential of external forces	113			
principle of stationary potential energy	113	118		

## Index Terms

## Links

### Buckling of plates (*Cont.*)

Ritz method	113	118	183	188
with rotationally restrained edges	127			
sandwich plates	185			
shear load, under	140			
with simply supported edges	112			
strain energy	112			
under uniaxial load	122	123	124	
Buckling of shells	384			
buckled shape	386	389		
buckling pattern	386	387	390	391
examples	387	391		

## C

C-beams	284			
bending stiffness	285	454	456	
centroid	285	454	456	
coordinate system	285			
deflection	286			
examples	284	287		
shear center	286	457		
shear compliance	459			
tensile stiffness	285	454	456	
torsional stiffness	286	457		
twist	286	288		
warping stiffness	288	457		
Center of mass	309	310		
Center of gravity	203	213		
Center of twist	252			



## Index Terms

## Links

Centroid	203				
of box-beams	274	454	456		
of C-beams	285	454	456		
of closed-section beams	231	232	234	235	
of I-beams	295	454	455	456	
of L-beams	223				
of open-section beams	230	231	232	234	235
	236				
of sandwich beams	328				
of solid-section beams	213				
of stiffened beams	289				
of T-beams	219	240			
of thin-walled beams with arbitrary layup	271				
Characteristic length	431	434			
Circular frequency	141				
<i>See also</i> Vibration					
of beams	306	350	352	463	
of plates	141	196			
Closed-section beams under axial load and bending	243				
<i>See also</i> Box beams					
bending stiffness	231	232	234	235	246
centroid	231	232	234	235	
compatibility condition	245				
compliance	247				
coordinate system	243	269			
displacements	243				
force-strain relationship	247	267			
neutral surface	453				
tensile stiffness	231	232	234	235	247
transversely loaded	278	282			

## Index Terms

## Links

### Compliance

*See also* Shear compliance

of beams	209				
of closed-section beams	247	254	266	273	274
constraint on	56	58			
example	21				
of isotropic material	12	14	21	35	42
of generally anisotropic material	9	29	30	36	
of laminates	71	74	76	77	81
of monoclinic material	12	32			
in new reference plane	81				
of open-section beams	266				
of orthotropic material	12	14	34	41	
under plane-strain	30	32	33	34	
under plane-stress	39	41	42		
of solid-section beams	212	214	250		
transformation	53				
of transversely isotropic material	12	14	20	35	42
of woven fabric	44				
Conservation of energy	145	323			
Constitutive equations.					
<i>See</i> Stress–strain relationship,					
Force–strain relationship					
Continuity condition	48				
Conversion factors	467				
Coordinate system	3				
of beams	203	211	313		
of C-beams	221				
of closed section beams	243	265	267	268	
of isotropic material	20				
of laminates	63	66			

## Index Terms

## Links

### Coordinate system (*Cont.*)

of monoclinic material	11				
of open-section beams	226	265	266	267	268
	269				
of orthotropic material	14	16			
under plane-strain	22				
under plane-stress	38				
of plates	90				
of T-beams	217				
transformation	49				
of transversely isotropic material	19				

Core	169	170	326		
------	-----	-----	-----	--	--

### Coupling

in balanced laminates	75				
in beams in torsion	248				
in beams with symmetrical cross section	206				
in cylinders	376				
in isotropic laminates	78				
in laminates	72	73			
in monoclinic material	12				
in orthotropic beams	207				
in orthotropic closed-section beams	243				
in orthotropic laminates	75	76	77		
in orthotropic material	17				
in orthotropic open-section beams	226	229			
in orthotropic solid-section beams	213	214			
in quasi-isotropic laminates	80				
in sandwich beams	333				
in sandwich plates	176				
in solid-section beams	212	214			
in thin rectangular cross-section beams	250				
transversely loaded thin-walled beams	275	276			

## Index Terms

## Links

Critical load parameter					
for cylinders	386	388	391	392	393
	394				
for plates	112	115	118	121	
for sandwich plates	188				
Curvature	67				
of beams	204				
of cylinders	371				
of laminates	67				
of open-section beams	227	234	235	251	
of plates	90	94	95		
of radius	365				
of shells	365	385			
of solid-section beams	211	215	216		
Cylindrical deformation	94	132	142	301	
Cylindrical shells	368				
<i>See also</i> Buckling of shells					
with built-in ends	370				
coupling	376				
curvature	371				
displacement	375				
end effects	376				
equilibrium	371				
examples	377	387	391	427	
membrane forces	369	370			
membrane theory	366	368			
with orthotropic walls	375	390			
strain-displacement relationship	371				
temperature effects	379				

## Index Terms

## Links

### D

<i>D</i> matrix	70	80		
Deflection				
of beams	313	332		
of beams with shear deformation	313	330		
of box-beams	257	259		
of C-beams	286			
of long plates	96			
of plates	93	100	107	
of sandwich plates	180	182		
shear deformation effects	359			
of T-beams	241			
Deformation under plane strain	27	31	35	36
Delamination	167	411		
Density	437			
Displacement	3			
of closed-section beams	243	265	273	
of cylindrical shells	375			
of I-beams	316			
of laminates	66			
of L-beams	221			
of open-section beams	226	265		
under plane-strain	25	30	33	34
	37			35
of plates	91			
of sandwich plates	169	170	199	200
of solid-section beams	210			
summary	57			
of T-beams	217			
Displacement function of vibrating beams	119			

## Index Terms

## Links

### **E**

Effective length factor	292	293		
Engineering constants				
constraint on	61			
example, back calculation	451			
of isotropic material	13	16	20	
micromechanics expression	442			
of monoclinic material	13	16		
of orthotropic material	13	16		
of transversely isotropic material	13	16	19	
of woven fabric	44			
Engineering strain	3	5	6	
Equilibrium equations	6			
for beams	204	276	280	
for beams with shear deformation	320	335	339	353
for buckling of plates	132			
for cylindrical shells	371			
for long plates	95	132		
under plane-strain	29	32		
under plane-stress	39			
for plates	91	142	197	
for sandwich plates	179	197		
summary of	57			
Examples				
back calculation of engineering constants	451			
beam under lateral load	215	239	255	
box-beam	255	257	272	304
C-beam		284	287	
constraints on compliances				
and engineering constants	61			

## Index Terms

## Links

### Examples (*Cont.*)

cylinder	377	427			
cylinder buckling	387	391			
face wrinkling	195				
failure	427				
hygrothermal effects	156	159	162	383	
I-beam buckling	294	298	305	343	345
	363				
I-beam vibration	310	357			
laminate compliance and stiffness	81	83	87		
local buckling	304	305	387	391	
long plate buckling	133	138	139		
plate buckling	115	116	121	126	130
plate under lateral load	96	103	105	111	
plate vibration	143	147	148	150	
ply compliance and stiffness	21	42	43		
sandwich beam	334	342	362		
sandwich plate	180				
sandwich plate buckling	186	188	195		
sandwich plate vibration	198	201			
shear center	284	294			
shear flow	239				
shear deformation effects on beams	362	363			
springback	383				
sublaminar stiffness	407				
T-beam	239				
woven fabric	43				
Extension-extension coupling	73				
Extension-shear coupling	72	76			
Extension-twist coupling	72	76			

## Index Terms

## Links

### F

Fabric. <i>See</i> Woven fabric			
Facesheet	169	326	
Face wrinkling	190		
Failure envelope	428		
example	427		
Failure modes	411		
Failure surface	424		
Failure theories	411		
applicability of	412		
Fiber failure	411		
Fibers	1		
properties	465		
Filament wound layer	41		
Finite element	395		
beam element stiffness	397		
example	407		
formulation	395		
plate element stiffness	397		
sublaminated element stiffness	398		
three-dimensional element stiffness	396		
First order shear theory	313		
First ply failure	412		
Flexural rigidity. <i>See</i> Bending stiffness			
Force-strain relationship			
for beams	204	206	209
for beams with shear deformation	315		
for buckling of beams	291		
for closed-section beams	247		
hygrothermal	153	154	155



## Index Terms

## Links

### Force-strain relationship (*Cont.*)

for laminates	71	74	75		
for open-section beams	228	236	237	238	239
for plates	91				
for sandwich plates	172				
for shells	366				
for solid-section beams under axial load and bending	211	212	213	214	215
for T-beams	242				
for thin-walled beams under axial load and bending	266	269			
for torsion of beams	250	255			
Free edge effect	166	210			
Free vibration. <i>See</i> Vibration					
Frequency. <i>See</i> Natural frequency; Circular frequency					

## **G**

### Generalized displacement in beams with shear

deformation	320				
Generalized force	71				
in beams with shear deformation	320				
Generalized force-strain relationship	71				
Generalized strain	71				
in beams with shear deformation	315	320			
Generally anisotropic material compliance	9	29	30	36	
description	8				
under plane-strain	28	35			
under plane-stress	38				
stiffness	9				
stress-strain relationship	8				

## Index Terms

## Links

Governing equations	57			
of beams	203	314		
of plates	90			
of sandwich plates	170			
summary of	57			
<b>H</b>				
Halpin–Tsai	450			
Hill failure criterion	412			
Hole size effect	433			
Honeycomb core	169	326		
Huber orthotropy	108			
Hygrothermal	44	151	379	
examples	156	159	162	383
force	152	154	155	156
force–strain relationship	153			
under plane–strain	47			
under plane–stress	47			
properties	450	467		
strain	44	153		
strain–displacement relationship	44			
stress	152			
stress–strain relationship	45	47	152	
thickness change	161			
<b>I</b>				
I-beams				
bending moment	316			
bending stiffness	295	454	455	456
bimoment	262	318		
buckling	294	298	305	343 346

## Index Terms

## Links

### I-beams (*Cont.*)

center of mass	310			
centroid	295	454	455	456
displacement	316			
example, effect of shear deformation	363			
examples, buckling	294	298	305	343 345
examples, vibration	310	357		
local buckling	303	305		
parameter of restraint	305			
polar moment of mass	310			
polar radius of gyration	295			
rate of twist	317			
restrained warping	261			
restrained warping induced torque	263	318		
Saint-Venant torque	263	317		
shear center	295	457		
shear compliance	324	343	459	
shear deformation effects	363			
with shear deformation	315			
shear flow	241			
shear stiffness	318			
spring constant	305			
strain–displacement relationship	316			
tensile stiffness	295	454	455	456
transverse shear force	316			
torque	261	262	263	316
torsion	261	315		
torsional stiffness	295	457		
vibration	310	357		
warping stiffness	262	295	318	457

## Index Terms

## Links

Inertia force	142	348	353		
In-plane-out-of-plane coupling	72	76			
Interaction strength parameters	417	423			
Interlaminar stresses	166	210			
Isotropic material					
compliance	12	14	21	35	42
coordinate system	20				
description	20				
engineering constants	13	16	20		
under plane-strain	34	38			
under plane-stress	42				
shear modulus	20				
stiffness	21	35	42		
Young's modulus	20				

## **K**

Kinetic energy	144				
Kirchhoff hypothesis	66	169			

## **L**

Lamina	1	2			
Laminate plate theory	65				
Laminates	63				
angle-ply	65				
balanced	65	75			
compliance	71	74	75	76	77
	81				
coordinate system	63	66			
coupling	72	75	76	77	78
	80				

## Index Terms

## Links

### Laminates (*Cont.*)

cross-ply	65				
curvature	67				
curved	81				
displacements	66				
examples	81	83	87		
force-strain relationship	71	74	75		
in-plane forces	67	70	74		
isotropic	78	79			
laminate code	63				
moments	67	70	74		
neutral plane	66				
normal shear force	67				
orthotropic	75	207			
$\pi/4$ laminate	65	79			
quasi-isotropic	79	177			
reference plane	66	68	69	80	
rotation	66				
stiffness	70	74	75	76	78
	79	81			
strain-displacement	66	75			
stress	65				
symmetric	63	64	74	84	85
transverse shear force	68				
unsymmetric	86				
L-beams	221				
displacement	221				
centroid	223				
bending stiffness	223				
tensile stiffness	223				

## Index Terms

## Links

Load parameter	112	118	187	384
<i>See also</i> Critical load parameter				
Local buckling				
of cylinders	387	390		
example, box-beam	304			
example, I-beam	305			
examples, cylinders	387	391		
of thin-walled beams	300			
Long plates	94			
<i>See also</i> Buckling of plates; Sandwich plates				
applicability of theory in bending	94	97		
applicability of theory in buckling	116	132	190	
applicability of theory in vibration	148	202		
curvature	95			
cylindrical deformation	94			
deflection, symmetrical layup	96			
deflection, unsymmetrical layup	98			
description	94			
equilibrium	95	132	142	
examples	96	133	180	198
vibration	141	196		

## **M**

Mass	437			
Material properties. <i>See</i> Properties				
Matrix cracking	411			
Matrix properties	465			
Maximum strain criterion	426			
example	427			

## Index Terms

## Links

Maximum stress criterion	425				
example	427				
Membrane forces	365				
Membrane theory	365	366	368		
Meridian	367				
Micromechanics	436				
engineering constants, summary of	442				
hygrothermal properties, summary of	450				
Modified rule of mixtures	448				
Moisture concentration	44	445			
Moisture diffusivity	447	450			
Moisture expansion coefficient	44	46	445	450	
Moment					
in beams	210	211	316	327	332
in laminates	67	70	74		
in plates	91	96	99	108	109
Moment couple. <i>See</i> Bimoment					
Moment of inertia	208	261			
Monoclinic material					
compliance	12	32			
coordinate system	11				
description	11				
engineering constants	13	16			
under plane-strain	30	36			
under plane-stress	40				
Poisson's ratio	13				
shear modulus	13				
stiffness	14	41			
stress-strain relationship	17				
Yong's modulus	13				
Monocoque beam	311				

## Index Terms

## Links

### N

Natural frequency	141				
<i>See also</i> Vibration					
Neutral plane (surface)	230	231	254		
in box-beams	258	259			
in closed-section beams	453				
in open-section beams	230	231	233	453	
in sandwich beams	328				
in sandwich plates	177				
in solid-section beams	213				
Noninteraction strength parameters	416	420	421	423	
<b>O</b>					
Off-axis unidirectional test	417				
Open-section beams	217				
<i>See also</i> C-beams; I-beams; L-beams; T-beams; Torsion of thin-walled beams; Transversely loaded thin-walled beams					
bending stiffness, arbitrary cross section	230	231	232	234	235
	236				
centroid	230	231	232	234	235
	236				
coordinate system	226				
curvature	227	234	235		
displacement	226				
example	239				
force-strain relationship	228	236	237	238	239
neutral surface	230	231	233	453	



## Index Terms

## Links

### Open-section beams (*Cont.*)

reference surface	230	233			
segmented wall	233				
shear flow	234	241	275	278	
strain	234	235	237	269	
tensile stiffness, arbitrary cross section	229	231	232	234	235
	236				
torsion	250				
transversely loaded	276	280			

### Orthotropic material

compliance	12	14	34	41
coordinate system	14	16		
description	14			
engineering constants	13	16		
under plane-strain	34	38		
under plane-stress	41			
Poisson's ration	13			
shear modulus	13			
stiffness	17	34	41	
stress-strain relationship	17			
Young's modulus	13			

Out-of-plane shear force. See Shear force

## **P**

Parallel axis theorem	80			
Parameter of restraint	128	304		
Period of vibration	141			
Plane-strain	22	267		
body force	22	24		
compliance	30	32	33	34
coordinate system	22			

## Index Terms

## Links

### Plane-strain (*Cont.*)

definition	22				
deformation	27	31	35	36	
displacement	25	30	33	34	35
	37				
end loads	24				
end supports	23				
equilibrium	29	32			
fiber orientation	23				
geometry	23				
generally anisotropic material	28	35			
hygrothermal	47				
isotropic material	34	38			
monoclinic material	30	36			
orthotropic material	34	38			
stiffness	30	33	34		
strain-displacement relationship	25	28	30	33	35
	37				
stress-strain relationship	29	32	33	36	37
	38				
surface force	22	24			
transversely isotropic material	34	38			
Plane-stress	38	66			
compliance	39	41	42		
coordinate system	38				
definition	38				
equilibrium	39				
examples	42	43			
generally anisotropic material	38				
hygrothermal	47				
isotropic material	42				

## Index Terms

## Links

Plane–stress ( <i>Cont.</i> )				
monoclinic material	40			
orthotropic material	41			
stiffness	39	41	42	
stress	38	39		
stress-strain relationship	39			
transversely isotropic material	42			
Plate element	397			
Plates	89	100		
<i>See also</i> Long plates; Sandwich plates				
bending moment	91	108	109	
boundary conditions	92	101	113	145
buckling. <i>See</i> Buckling of plates				
coordinate system	90			
curvature	90	94		
deflection of built-in plates	107			
deflection of simply supported plates	100			
deflection under pure bending and in-plane				
loads	93			
equilibrium	91			
examples	103	105	111	
force-strain relationship	91			
governing equations	90			
hygrothermal effects. <i>See</i> Hygrothermal				
in-plane forces	91			
potential energy	107	108	109	118 125
potential of external forces	101			
principle of stationary potential energy	101	113	118	
reference plane	99			
Ritz method	101			

## Index Terms

## Links

Plates ( <i>Cont.</i> )					
shear force	91				
strain–displacement relationship	90				
strain energy	92	93	101		
strain energy, plate buckling	112				
strain energy, vibrating plate	144	149			
twist moment	91				
vibration	144				
Plates with a hole	163	431			
Plate with a notch	434				
Ply	1	2			
example, compliance and stiffness	21	42	43		
orientation	63				
properties	466				
stiffness	69				
stress–strain relationship	39	68			
thickness	464				
Ply group	63				
Ply stress-based failure criterion	412				
Point stress failure criterion	431				
major and minor	62				
Polar moment of mass	307	309	310	354	361
Polar radius of gyration	292	295	339	461	
Potential energy	55				
for plates	107	108	109		
for plate buckling	118	125			
Potential of external forces	55				
for plates	101	183			
for plate buckling	113				

## Index Terms

## Links

Principle direction	208			
Principle of stationary potential energy	56			
for plates	101	184		
for plate buckling	113	118		
Properties	464			
used in the examples	81			
Proportional loading	423			
 <b>Q</b>				
Quadratic failure criterion	413			
applicability of	412			
example	427			
for isotropic material	421			
for orthotropic material	414			
under plane-strain	422			
under plane-stress	422			
under proportional loading	424			
for transversely isotropic material	420			
Quasi-homogeneous material	3			
 <b>R</b>				
Radius of curvature	365			
Rate of twist	26	248		
of beams	204	315	316	317
of closed-section beams	253	260	279	280
of I-beams	317			
shear deformation effects	359			
of solid-section beams	212	214		
of thin rectangular cross section beams	249			
of transversely loaded beams	212	214	275	

## Index Terms

## Links

Rayleigh energy method	145	149			
Rayleigh principle	145	200			
Reduced bending stiffness	90				
Reference plane (surface)					
for closed-section beams	254	259			
for laminates	66	68	69	80	
for long plates	99				
for open-section beams	230	231	233		
for sandwich plates	170	177			
for solid-section beams	213				
Reinforced beams. <i>See</i> Stiffened beams					
Replacement shear force	92				
Replacement stiffness	210	291			
Representative element	437				
Restrained warping	261	271	288		
Restrained-warping-induced torque	263	318	339	354	
Ritz method	55	101	113	118	183
	188				
Rotation	26				
of beams with shear deformation	313	314			
of laminates	66				
of sandwich plates	169	179	183	199	200
Rotational shear stiffness	318				
Rotational spring constant. <i>See</i> Spring constant					
Rule of mixtures	436				
<b>S</b>					
Saint-Venant torque	263	317	339	354	
Sandwich beams	326				
<i>See also</i> Buckling of beams with shear deformation					

## Index Terms

## Links

### Sandwich beams (*Cont.*)

bending stiffness	327	328	333	334
centroid	328			
core	326			
coupling	333			
examples	334	342	362	363
neutral plane	328			
shear center	328			
shear compliance	327	329	334	
shear deformation effects	362			
shear force	326	333		
shear stiffness	329	333	334	
tensile stiffness	328			
torsional stiffness	329			
transversely loaded	331			
warping stiffness	328			
Sandwich plates	169			
boundary conditions	172	183		
buckling of long plates	185			
buckling of simply supported plates	187			
core	1	69	170	
core stiffness	175			
coupling	176			
deflection of long plates	178			
deflection of simply supported plates	182			
deformation	171	175		
displacements	169	170	199	200
equilibrium	179	197		
example	180			
examples, buckling	186	188	195	

## Index Terms

## Links

### Sandwich plates (*Cont.*)

examples, vibration	198	201			
facesheet	169				
face wrinkling	190				
force-strain relationship	172				
governing equations	170				
isotropic plates	176				
long plates	178				
neutral plane	177				
orthotropic plates	176				
Poisson's ratio	178				
potential of external forces	183				
quasi-isotropic	178				
reference plane	170	177			
rotation	169	179	183	199	200
shear force	171	175	176		
shear stiffness	172	176	178		
stiffness	174				
strain	182				
strain-displacement relationship	170				
strain energy	173	182	199		
stress-strain relationship	171	175			
transverse shear strain	170				
vibration	196				
Semimonocoque beams. <i>See</i> Stiffened beams					
Shear center	252	283			
of C-beams	286	457			
example	284				
of I-beams	295	457			
of sandwich beams	328				
of transversely loaded beams	275	283			



## Index Terms

## Links

Shear compliance				
of beams with shear deformation	320	321		
of box-beams	458			
of C-beams	459			
of circular cross-section beams	458			
of I-beams	324	343	459	
of sandwich beams	327	329	334	
of T-beams	460			
of Z-beams	460			
Shear deformation, effects of	359			
examples	362	363		
Shear flow	234	275		
in closed-section beams	253	260	278	282
example	239			
in I-beams	241			
in open-section beams	276	281		
in stiffened beams	290			
in transversely loaded beams	275			
Shear force				
in beams	204			
in beams with shear deformation	319	331		
in laminates	67	68		
in plates	91			
in sandwich plates	171	175	176	
in sandwich beams	126	333		
Shear modulus	13	19	20	439 442
Shear strain in thin-walled beams	251	253	279	
Shear stiffness				
of beams with shear deformation	320	321	322	325
of I-beams	318			
of sandwich beams	326	329	333	334
of sandwich plates	172	176	178	

## Index Terms

## Links

Shells	365				
<i>See also</i> Buckling of shells;					
Cylindrical shells					
coordinate system	365				
curvature	385				
force-strain relationship	366				
membrane forces	365	369			
membrane theory	365	366			
meridian	367	368			
radii of curvature	365				
strain	367				
stress-strain relationship	367				
Shells of revolution	367				
SI unit prefixes	467				
Solid-section beams under					
axial load and bending	210				
axial force	211				
bending moment	211				
centroid	213				
compliance	212	214			
coordinate system	211				
curvature	211	215	216		
displacement	211				
equations, summary of	311				
example	215				
force-strain relationship	211	212	213	214	215
neutral plane	213				
rate of twist	212	214			
reference plane	213				
strain	215				
stress	215				
stress-strain relationship	215				

## Index Terms

## Links

Specific heat	448	450			
Springback	380				
example	383				
Spring constant	128	301	305		
Stiffened beams	288				
axial force	289				
bending stiffness	289				
centroid	289				
shear flow	290				
tensile stiffness	289				
torsion	290				
Stiffness <i>See also</i> Bending stiffness; Shear stiffness; Torsional stiffness; Warping stiffness					
of beams	204				
of box-beams	273				
constraint on	56	58			
example	21	42			
of filament wound layer	41				
of generally anisotropic material	9	11			
of isotropic material	21	35	42		
of laminates	70	74	75	76	78
	79	81			
of monoclinic material	14	41			
of orthotropic material	17	34	41		
under plane-strain	30	33	34		
under plane-stress	39	41	42		
of ply	69				
of sandwich plates	174				
of thin-walled beams with arbitrary layup	266				
transformation	53				
of transversely isotropic material	20	35	42		
of woven fabric	41				

## Index Terms

## Links

Stiffness parameter	108	129			
Strain	3				
closed-section beams	269	274			
hygrothermal	44	153			
notation	6				
open-section beams	234	235	237	268	274
sandwich plates	182				
shells	367				
solid-section beams	215				
torsion of beams	251				
summary	57				
transformation, of	52				
Strain–displacement relationship	4				
beams	204	315			
cylindrical shells	371				
equations, summary of	57				
I-beams	316				
laminates	66				
plane-strain	25	28	30	33	35
	37				
plates	90				
sandwich plates	170				
thin-walled section beams under					
axial load, bending and torsion	265				
Strain energy	55				
of beams with shear deformation	322				
of buckling of plates	112				
of plates	92	93	101		
of sandwich plates	173	182			
of vibrating plates	144	149	199		

## Index Terms

## Links

Strength	416	417	421	423
Strength parameter	412	413	416	423
Stress	3	5	6	
closed-section beams	268			
hygrothermal	152			
laminates	65			
notation	5			
open-section beams	268			
plane-stress	38	39		
sign convention	4			
solid-section beams under				
axial load and bending	215			
summary	57			
transformation	49			
Stress intensity factor	165	432		
Stress ratio	423	428		
Stress–strain relationship				
<i>See also</i> Force–strain relationship				
equations, summary of	57			
generally anisotropic material	8			
hygrothermal	45	47	152	
plane-strain	29	32	33	36
	38			37
plane-stress	39			
sandwich plates	171	175		
shells	367			
solid-section beams	215	217		
torsion of beams	251			
monoclinic material	17			
orthotropic material	17			
ply	39	68		

## Index Terms

## Links

Sublamine element	398				
example	407				
Surface force	22	24			
<b>T</b>					
T-beams	217				
bending stiffness	219	240			
centroid	219	240			
coordinate system	217				
deflection	241				
displacement	217				
example	239				
force–strain relationship	242				
shear compliance	460				
shear flow	241				
tensile stiffness	219	240	456		
torsional stiffness	457				
warping stiffness	457				
Ten percent rule	89	117	149	392	
Tensile stiffness					
of beams	206	207	208	210	322
of box-beams	259	454	455	456	
of C-beams	285	454	456		
of circular cross-section beams	454	455			
of closed-section beams	231	232	234	235	247
of I-beams	295	454	455	456	
of L-beams	223				
of open-section beams	229	231	232	234	235
	236				
of sandwich beams	328				
of stiffened beams	289				
of T-beams	219	240			

This page has been reformatted by Knovel to provide easier navigation.

## Index Terms

## Links

Tensorial strain	3	6			
Thermal conductivity	446	450			
Thermal expansion coefficient	44	46	152	443	450
Thickness, change in	161				
Thin plates. <i>See</i> Plates					
Thin-walled beams under axial					
load, bending and torsion	265				
centroid	271	274			
compliance	266	273			
coordinate system	265	266	267	268	
displacement	265	274			
example	272				
force-strain relationship	266	269	271		
rate of twist	274				
restrained warping	271				
segmented wall	265				
stiffness	266	267	268		
strain–displacement relationship	265				
strain	268	274			
stress	268				
Three-dimensional element	396				
Timoshenko beam	313				
Torque	203	253	261	262	263
Torque neutral surface	254	258			
Torsional stiffness					
of beams	206	208	210	322	
of box-beams	256	258	458		
of C-beams	286	457			
of circular cross-section beams	458				
of closed-section beams	254				
of I-beams	295	457			

## Index Terms

## Links

Torsional stiffness ( <i>Cont.</i> )					
of open-section beams	250				
of sandwich beams	329				
of solid section beams	249	250			
of T-beams	457				
of beams in torsion	249	250	254		
of Z-beams	457				
Torsion of thin-walled beams	248				
boundary conditions	264				
box-beams	255	272			
closed-section, multicell	260				
closed-section, single cell	252				
compliance	250	254			
curvature	251				
examples	255	257	272		
force-strain relationship	250	255			
I-beams	261	315			
open-section beams	250				
rate of twist	248	249	253	254	260
restrained warping	261				
shear flow	253	260			
shear strain	251	253	314	322	
stiffened beams	290				
stress-strain relationship	251				
thin rectangular cross-section beams	248				
torque	253				
torque neutral surface	254	258			
torsional stiffness	249	250	254		
warping	251				
warping stiffness	262				



## Index Terms

## Links

Transformations	49	69			
Transversely isotropic material					
compliance	12	14	20	35	42
coordinate system	19				
description	19				
engineering constants	13	16	19		
under plane-strain	34	38			
under plane-stress	42				
Poisson's ratio	13	19			
shear modulus	13	19			
stiffness		20	35	42	
Young's modulus	13	19			
Transversely loaded beams					
with shear deformation	329				
bending moment	332				
bending stiffness	333				
deflection	330				
equilibrium	329				
example	334				
sandwich beams	331	334			
shear force	331				
shear stiffness	333				
Transversely loaded thin-walled beams	274				
applied loads	274				
axial force	277				
C-beams	284				
closed-section beams, multicell	279				
closed-section beams, single cell	278	282			
equilibrium	276	280			
examples	284	287			
internal forces	275				

## Index Terms

## Links

Transversely loaded thin-walled beams (*Cont.*)

open-section beams	276	281		
rate of twist	275	279	280	
shear center	283	275		
shear flow	275			
shear strain	279			

Transverse shear force. *See* Shear force

Tsai–Wu failure criterion 413

Twist

of box-beams	257	259	274	
of C-beams	286	288		
of solid-section beams	203			

Twist moment. *See* Moments

## U

Unidirectional test 417

## V

Vibration

of beams	306				
of beams with shear deformation	347				
circular frequencies of beams					
with shear deformation	350	352	353	359	
deflection of vibrating plates	145	199			
equilibrium of vibrating beams	353				
equilibrium of vibrating plates	142	197			
examples, I-beam	310	357			
examples, plates	143	147	148	150	198
	201				

## Index Terms

## Links

### Vibration (*Cont.*)

force-strain relationship, beam	354			
I-beams, of	310	357		
inertia force	141	348	353	
kinetic energy of plate	144			
of long plates	141			
of long sandwich plates	196			
shear deformation effects	359			
of simply supported plates	144			
of simply supported sandwich plates	199			
strain energy of vibrating plates	144	149	199	
Volume	436			
Volume fraction	436			
Von Mises failure criterion	420	422		
<b>W</b>				
Warping	251			
Warping stiffness				
of beams with shear deformation	322			
of box-beams	458			
of C-beams	288	457		
of circular cross-section beams	458			
of I-beams	261	295	318	457
of sandwich beams	328			
of T-beams	457			
of Z-beams	457			
Whitney-Nuismer failure criterion	430			
Work done by external forces	323			
Woven fabric	1	2	41	43
example	43			

## Index Terms

## Links

### **Y**

Young's modulus	13	19	20		
micromechanics expressions	438	442	448	450	451

### **Z**

Z-beams	457	460			
---------	-----	-----	--	--	--