

Volume 3, Index

Index

Abbreviations	Ch 1-2, 4, 8
Acronyms	Ch 1-10
Adherends.....	Ch 6-7, 18
Adhesive bonding	Ch 2-40, 50, 52, 64
Allowable.....	Ch 4-6, 16, 30
Alumina	Ch 2-8, 17, 18
Aramid.....	Ch 2-6, 7, 8, 12, 17, 26, 27, 29, 33, 34, 38, 50
Aramid fiber.....	Ch 2-10, 17, Ch 12-5
Autoclave cure	Ch 2-53
Bagging.....	Ch 8-44
Barely visible impact damage (BVID)	Ch 7-3, 8, 16
Bearing... Ch 7-1, 49, 50, 51, 53, 54, 56, 57, 58, 59, 60, 61, 62, 63, Ch 12-6, 12, 13, 15, 16, 17, 18, 23, 24	
Bearing/bypass	Ch 7-51, 58
Bending.....	Ch 6-22, 27, 30, 31, 34, 35, 36, 37, 38, 42, 50, 52, 53, 55, 56, 60, 61, 64, 66, 68, 70, 76, 78, 86, 88, 89, 93, 94
Beam	Ch 5-35
Bismaleimide.....	Ch 2-31
Bonding.....	Ch 2-7, 27, 35, 40, 49, 50, 51, 52, 64, 66
Boron	Ch 2-10, 15, 17
Boron fiber	Ch 2-15, 17, Ch 5-9
Boron/epoxy.....	Ch 5-10, 16
Braiding.....	Ch 1-15, 16, 18, 21, 24, Ch 2-9, 14, 47, 48
Buckling	Ch 6-1, 15, 17, 18, 31, 61, 63, 68, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 86, 88, 89, 92, 93, 94, 114, 116
Stacking sequence effects.....	Ch 6-76
Building block approach.....	Ch 4-1, 3, 4, 29, 34, Ch 7-25
Carbon fiber	Ch 2-2, 6
Carbon/epoxy.....	Ch 5-11, 12, 32, 33, 35, 36, 39, 54, 56, 79, 81, 82, 85, 88, 89, Ch 6-5, 29, 30, 31, 35, 46
Carpet plot	Ch 5-55, Ch 12-2, 3
Certification	Ch 1-1
Characteristic damage state	Ch 7-65, 68, 69
Cobonding.....	Ch 2-51
Commercial Aircraft Composite Repair Committee (CACRC).....	Ch 8-16
Composite cylinder assemblage (CCA).....	Ch 5-4, 13
Compression after impact	Ch 6-68
Computer programs.....	Ch 5-86, 94
Coupon	Ch 4-35, 48, 49
Creep	Ch 6-1, 7, 8, 9, 55, 69
Crippling.....	Ch 6-70, 71, 72, 78, 79, 80, 83, 84, 86, 87, 88, 89, 90, 91, 92, 93
Damage	Ch 7-14, 20, 46, 49, 50, 52, 54, 56, 58, 60, 61, 62, 63, 69, 70, 71, 99, 121, 122, 135, Ch 8-35, 48
Damage resistance.....	Ch 7-71
Damage tolerance.....	Ch 7-52, 54, 58, 69, 70, 71, 84, Ch 8-1, 2, Ch 9-3, Ch 12-1, 4, 25
Defects.....	Ch 7-2, 3, 8, 16
Definitions	Ch 1-13, 35
Delamination	Ch 5-55, 58, 59, 60, 61, 62, 63, 66, 70, 71, 79, 92, 28, 36, 60, 114, Ch 12-4, 6, 12, 26

Volume 3, Index

Design	Ch 5-1 , 42, 43, 46, 48, 49, 50, 55, 60, 66, 68, 69, 71, 76, 78, 79, 88, 92, 94, Ch 6-1 , 2, 3, 5, 7, 8, 9, 10, 11, 16, 31, 39, 42, 45, 49, 50, 51, 59, 60, 61, 64, 64, Ch 7-1 , 2, 3, 4, 5, 6, 7, 8, Ch 8-1 , 2, 5, 6, 7, 8, 9, 11, 16, 21, 23, 29, Ch 12-1 , 2, 4, 5, 6, 8, 9, 10, 11, 12, 14, 15, 16, 18, 19, 20, 22, 23, 24, 25, 26
Design for repair	Ch 8-2
Design of experiments (DOE)	Ch 3-11
Design value	Ch 4-26
Destructive tests	Ch 3-6 , 7
Doublers	Ch 8-53
Durability	Ch 5-1 , 69, Ch 6-1 , 31, Ch 8-1 , 4, 17, 19, 24
Edge effects	Ch 5-56 , 61, 67
Effective elastic moduli	Ch 5-4
Effective elastic relations	Ch 5-3
Elastic properties	Ch 5-3 , 4, 6, 7, 9, 10, 12, 22, 32, 34, 35, 54, Ch 12-1 , 2
Engineering and manufacturing development (EMD)	Ch 4-15
Environment	Ch 6-61 , 63
Environmental effects	Ch 6-2 , 6
Epoxy	Ch 2-6 , 7, 9, 14, 17, 19, 20, 24, 25, 30, 31, 32, 33, 35, 51, 52, 55, 66, Ch 5-9 , 10, 11, 12, 16, 26, 32, 33, 35, 36, 39, 42, 46, 54, 56, 65, 79, 81, 83, 88, 89, 98, Ch 12-5 , 6, 7, 9, 16, 17, 19, 26
Fabrication	Ch 12-1 , 4, 9, 11, 22, 67
Fabrics	Ch 2-6 , 8, 9, 11, 14, 21, 23, 27, 31, 32, 36, 37, 38, 39, 55
Factor-of-safety	Ch 9-2
Failure	
Lamina	Ch 5-21
Laminate	Ch 5-56 , Ch 10-1
Failure criteria	Ch 5-1 , 17, 18, 20, 21, 50, 51, 52, 55, 60, 64, 48, 59, 60, Ch 10-1 , 6, 19
Failure modes	Ch 5-17 , 18, 20, 61, 63, Ch 6-8 , 53, 59, 60, Ch 10-1
Fasteners	Ch 6-7 , 49, 50, 51, 60, 61, 63, Ch 12-4 , 6, 12, 15, 17, 18, 23
Fatigue	Ch 5-1 , 13, 50, 55, 70, 88, Ch 6-10 , 59, 60, 61, 62, 63, 64 Ch 9-2
Federal Aviation Administration (FAA)	Ch 4-28 , Ch 7-10
Federal Aviation Regulations (FAR)	Ch 4-29
Fiber failure	Ch 5-14 , 19, 52, 53, 61, 63, 64
Fiber placement	Ch 2-36 , 38, 40, 42
Finite element method	Ch 6-46 , 54, Ch 7-92
First ply failure	Ch 5-50 , 52
Fracture	Ch 7-84 , 86
Tensile	Ch 7-85 , 87
Generalized self consistent scheme (GSCS)	Ch 5-5
Glass	Ch 2-1 , 6, 7, 8, 9, 10, 11, 12, 13, 14, 19, 21, 26, 29, 31, 33, 34, 36, 38, 50, 58, 60
Glass fiber	Ch 5-9 , 16
Glass/epoxy	Ch 5-10 , 16
Graphite fiber	Ch 2-3
Homogeneity	Ch 5-2 , 34
Inspection	Ch 3-1 , 2, 4, 5, 6, 7, 8, 29, Ch 8-14 , 21, 22, 24, 26, 51, 52
Interlaminar stresses	Ch 5-49 , 55, 59, 66, 67, 88
Joint flexibility	Ch 6-50

Volume 3, Index

Joints.....	Ch 12-6, 8, 15, 16, 17, 18, 19, 20, 21, 25
Bolted	Ch 6-2, 49, 51, 61, 62
Bonded	Ch 6-2, 5, 7, 10, 11, 16, 31
KevlarTM.....	Ch 2-6
Knitted fabrics	Ch 2-38
Lamina properties	Ch 5-1, 2, 21, 35, 40
Stress-strain relations	Ch 5-21
Laminate properties	Ch 5-31, 65, 71
Bending	Ch 5-34
Laminate stacking sequence	Ch 5-35, 42, 59, 60, 61, 68, 69, 76, 53, 82
Lamination theory	Ch 5-27, 29, 30, 35, 36, 44, 47, 50, 61, 77, Ch 12-2
Limit load.....	Ch 5-17, Ch 7-14, 18, Ch 9-1
Linearity	Ch 5-2
Load enhancement factor (LEF)	Ch 7-55, 56
Load sharing	Ch 6-49, 51
Loading mode	Ch 6-61, 62
Mechanically fastened joints.....	Ch 6-1, 2, 51, 60
Membrane stresses	Ch 5-31
Micromechanics	Ch 5-1, 2
Moisture conductivity	Ch 5-41
Moisture diffusion.....	Ch 5-12, 41, 42
Moisture diffusivity	Ch 5-13
Moisture expansion.....	Ch 5-40, 43, 63, 66
Netting analysis.....	Ch 5-45, 46, 49, 53
Nondestructive inspection (NDI)	Ch 3-5, Ch 8-21
Nonlinear stress analysis.....	Ch 5-49
Orthotropy	Ch 5-2
Out-of-plane loads	Ch 12-2, 11
PEEK	Ch 2-33
Peel stresses	Ch 6-2, 3, 5, 6, 9, 10, 17, 19, 20, 21, 22, 23, 26, 27, 28, 31, 34, 35, 36, 37, 39
PEKK	Ch 2-33
Phenolic	Ch 2-9, 30, 31, 35
Polyacrylonitrile (PAN)	Ch 2-4
Polyamide	Ch 2-6
Polyamideimide.....	Ch 2-34, 35
Polyarylate	Ch 2-34
Polyarylketone	Ch 2-33
Polyester	Ch 2-9, 30, 31, 32, 38, 51, 55
Polyether sulfone	Ch 2-34
Polyetherimide	Ch 2-34, 51
Polyethylene	Ch 2-26, 27, 32
Polyimide	Ch 2-19, 20, 26, 32
Polyphenylene sulfide.....	Ch 2-33, 34
Polyphenylene sulfide sulfone	Ch 2-34
Polyphenylsulfone.....	Ch 2-34
Polypropylene	Ch 2-33
Polystyrene	Ch 2-34
Polysulfone	Ch 2-34
Postbuckling.....	Ch 5-71, 79, 82, 86, 87, 88
Pressure vessels.....	Ch 5-46

Volume 3, Index

Probabilistic methods.....	Ch 9-5, 7
Process verification.....	Ch 3-2
Processing.....	Ch 10-1, 2, 4, Ch 12-1, 8, 9, 10, 22
Pull-thru strength.....	Ch 6-61
Quality assurance.....	Ch 3-2, 7
Quality control.....	Ch 12-1, 10, 11, 24
Quartz.....	Ch 2-21, 22, 23, 24, 25, 26, 33
Receiving.....	Ch 3-1, 2
Reliability.....	Ch 9-1, 2, 3, 4, 5, 6, 8
Repair.....	Ch 8-1, 7, 11, 15, 20, 27, 32, 33, Ch 12-4, 10, 11, 15, 16, 18, 21, 26
Analyses.....	Ch 8-37
Repair design.....	Ch 8-29, 34
Residual strength.....	Ch 6-61, 63
Residual stresses.....	Ch 5-2, 43, 52, 54, 63, 65, Ch 10-1
Resin.....	Ch 2-29, 60
Viscosity.....	Ch 2-60
Resin pressure.....	Ch 2-62
Resin transfer molding.....	Ch 2-30, 31, 55, 56
Response surface methodology (RSM).....	Ch 3-11
Rovings.....	Ch 2-6, 7, 8, 9, 13, 14, 21, 31, 36, 38, 39
Sandwich.....	Ch 8-20, Ch 12-14, 15, 26
Sandwich construction.....	Ch 2-40, 49, 60
Sandwich structure.....	Ch 8-42, 47, 50
Satin weave.....	Ch 2-36
Sequential ply failure.....	Ch 5-50
Shear-out.....	Ch 6-53, 59, Ch 12-6
Silicon carbide.....	Ch 2-19, 20
Silicone.....	Ch 2-9, 36
Specifications.....	Ch 3-1, 2, 4, 5
Stacking sequence.....	Ch 5-30, 31, 34, 35, 36, 37, 42, 43, 50, 55, 56, 58, 63, 64, 68, 71, 76, 79, 89, 93, 94
Stacking sequence effects.....	Ch 5-31, 37, 43, 56, 58, 68, 76, 79, 89, 94
Beam bending.....	Ch 5-35
Buckling.....	Ch 5-76
Delamination.....	Ch 5-60
Free edge effects.....	Ch 5-67
Hygroscopic analysis.....	Ch 5-42
Lamination theory.....	Ch 5-30
Notched strength.....	Ch 5-58
Thermal analysis.....	Ch 5-42
Vibration.....	Ch 5-94
Statistical process control (SPC).....	Ch 3-8, 9
Strength.....	Ch 9-1, 2, 3, 5, 6, 7, 8
Compressive.....	Ch 5-16
Lamina.....	Ch 5-21
Laminate.....	Ch 5-56
Tensile.....	Ch 5-14
Stress concentration.....	Ch 6-1, 2, 3, 5, 7, 37, 49, 53, 54, 55
Stress concentrations.....	Ch 5-14, 52, 56
Stress-strain relations.....	Ch 5-21, Ch 12-1
Supportability.....	Ch 8-1, 7, 8, 9
Symbols.....	Ch 1-2, 4, 7, 8, Ch 5-72
Symmetric laminates.....	Ch 5-1, 27, 31, 34, 39, 42, 44, 45, 50

Tack.....	Ch 12-9, 22, 23
Terminology.....	Ch 1-13, 19
Test methods	
Thick-section	Ch 10-6
Testing.....	Ch 12-1, 4, 5, 7, 8, 10, 11, 25
Thermal conduction	Ch 5-12, 42
Thermal conductivity.....	Ch 5-3
Thermal expansion	Ch 5-2, 3, 9, 10, 11, 12, 38, 39, 40, 41, 45, 46, 54, 64, Ch 12-5
Thermoforming.....	Ch 2-33, 35, 59
Thermoplastic	Ch 2-6, 7, 8, 27, 32, 33, 34, 35, 36, 40, 52, 53, 59, 61
Amorphous	Ch 2-15, 32, 33, 34, 35, 52, 53
Condensation cure	Ch 2-32, 35
Semi-crystalline	Ch 2-32, 33, 34, 35
Thickness.....	Ch 6-2, 3, 4, 5, 8, 9, 10, 11, 12, 15, 17, 19, 20, 23, 26, 27, 28, 35, 36, 37, 39, 40, 41, 43, 44, 45, 49, 59, 61, 63
Thickness effects	Ch 5-65, 66
Thick-section	
Property prediction	Ch 10-21
Thick-section composites	Ch 10-1, 2, 6, 16, 23, 29
Three-dimensional analysis.....	Ch 10-2, 3, 29
Transverse tensile properties.....	Ch 5-67
UHMWPE.....	Ch 2-27, 29
Ultimate load	Ch 4-6, Ch 7-11, Ch 8-12, 18, 30, Ch 9-1
Unidirectional	Ch 5-7, 9, 17, 32, 33, 34, 36, 38, 39, 47, 66
Units.....	Ch 7-2, 12, 21, 26, 27, 32, 35
Conversion	Ch 1-12
Unsymmetric laminates	Ch 5-31, 41, 43, 50, 70
Vacuum assisted resin transfer molding	Ch 2-57
Vacuum bag molding	Ch 2-52
Vibration.....	Ch 5-1, 94, 95
Viscoelastic properties	Ch 5-3, 7, 9
X-ray inspection	Ch 8-6